



Dynamic estimation of specific growth rates of bacteria for an anaerobic wastewater treatment process

Sette Diop, Jean-Philippe Steyer, Ivan Simeonov

► To cite this version:

Sette Diop, Jean-Philippe Steyer, Ivan Simeonov. Dynamic estimation of specific growth rates of bacteria for an anaerobic wastewater treatment process. 17th International Conference on System Theory, Control and Computing, Oct 2013, Sinaia, Romania. hal-00828771v1

HAL Id: hal-00828771

<https://centralesupelec.hal.science/hal-00828771v1>

Submitted on 31 May 2013 (v1), last revised 17 Jun 2013 (v2)

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Dynamic estimation of specific growth rates of bacteria for a wastewater treatment process

S. Diop¹ and J. P. Steyer²

Abstract— The paper proposes an observability analysis and estimation schemes for specific growth rates for a wastewater treatment process. A 2-stage model of 6 dynamic states is assumed, describing the acidogenesis and methanogenesis of two different populations of microorganisms (acidogenic and methanogenic), and the evaluation of the total carbon dioxide production including the soluble part. The main result is that the specific growth rates of the two populations of bacteria can be stability estimated only from easily measured quantities – the dilution rate and the flow rates of methane and carbon dioxide in the biogas.

REFERENCES

- [1] O. Bernard, Z. Hadj-Sadok, D. Dochain, A. Genovesi, and J. P. Steyer, Dynamic model development and parameter identification for an anaerobic wastewater treatment process, *Biotechnology & Biengineering*, **75**(2001), 424–438, DOI: [10.1002/bit.10036](https://doi.org/10.1002/bit.10036).
- [2] E. Chorukova, S. Diop, and I. Simeonov, *On differential algebraic decision methods for the estimation of anaerobic digestion models*, Algebraic Biology. Proc. Second Internat. Conf. ed. by H. Anai, K. Horimoto, and T. Kutsia, Lect. Notes Comput. Sci. vol. 4545, Springer-Verlag, Berlin-Heidelberg, 2007, pp. 202–216 DOI: [10.1007/978-3-540-73433-8_15](https://doi.org/10.1007/978-3-540-73433-8_15).
- [3] S. Diop, *From the geometry to the algebra of nonlinear observability*, Contemporary Trends in Nonlinear Geometric Control Theory and its Applications, ed. by A. Anzaldo-Meneses, B. Bonnard, J. P. Gauthier, and F. Monroy-Perez, World Scientific Publishing Co., Singapore, 2002, pp. 305–345 DOI: [10.1142/9789812778079_0012](https://doi.org/10.1142/9789812778079_0012).

¹S. Diop is with the CNRS, Laboratoire des Signaux et Systèmes, Supélec, Plateau de Moulon, 91192 Gif sur Yvette cedex, France, diop@ls.supelec.fr

²J. P. Steyer is with the INRA, Laboratoire de Biotechnologie de l'Environnement, Avenue des Etangs, Narbonne 11100, France, steyer@supagro.inra.fr