

#### Quantitative risk assessment and optimization of process intervention parameters for French raw milk soft cheese

Subhasish Basak, Julien Bect, Laurent Guillier, Fanny Tenenhaus-Aziza,

Janushan Christy, Emmanuel Vazquez

#### ▶ To cite this version:

Subhasish Basak, Julien Bect, Laurent Guillier, Fanny Tenenhaus-Aziza, Janushan Christy, et al.. Quantitative risk assessment and optimization of process intervention parameters for French raw milk soft cheese. IDF World Dairy Summit 2022, Sep 2022, New Delhi, India. hal-04017197

#### HAL Id: hal-04017197 https://centralesupelec.hal.science/hal-04017197v1

Submitted on 7 Mar 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - ShareAlike 4.0 International License

QUANTITATIVE RISK ASSESSMENT AND OPTIMIZATION OF PROCESS INTERVENTION PARAMETERS FOR FRENCH RAW MILK SOFT CHEESE. Subhasish Basak<sup>1,2</sup>, Julien Bect<sup>2</sup>, Laurent Guillier<sup>1</sup>, Fanny Tenenhaus-Aziza<sup>3</sup>, Janushan Christy<sup>4</sup>, Emmanuel Vazquez<sup>2</sup>

<sup>1</sup>Agence nationale de sécurité sanitaire (ANSES), 94700, Maisons-Alfort, France <sup>2</sup>Université Paris-Saclay, CNRS, CentraleSupélec, L2S, 91190, Gif-sur-yvette, France <sup>3</sup>Centre national interprofessionnel de l'économie laitière (CNIEL), 75009, Paris, France <sup>4</sup>Centre technique d'expertise agroalimentaire (ACTALIA), 74800, La-Roche-sur-Foron, France

#### Context

This study is a part of the European project ArtiSane-Food that aims at controlling food-borne pathogens in artisanal fermented food of meat and dairy, origin produced in the Mediterranean region. As a participating country one of the main objective for France is to allow the continuation of the production of raw milk soft cheeses, which is today potentially at risk due to future European regulations. At the French national level this project is in collaboration with ANSES, CNIEL, CentraleSupélec - Université Paris-Saclay and organizations from the dairy industry.

### **Quantities of Interest (QoI)**



#### **Experimental results**

• Minimizing f over the input space X $-n_{\text{sample}} \in \{5, 10, 20, 30, 50\}$  $-l^{\text{sort}} \in \{10, 20, 30, 40, 50\}$  $-p_{\text{test}}^{\text{milk}} \in \{1/10, 1/20, 1/30, 1/40, 1/50\}$ 

## **Problem Statement**

The primary goal is to establish efficient intervention strategies, in order to "economically" reduce the risk of Haemolytic Uremic Syndrome (HUS) caused by Shiga-Toxin producing Escherichia coli (STEC) present in raw-milk soft cheese.

Intervention strategies in cheese making:

• Pre-harvest milk sorting:

STEC and *E. coli* strains follow same fecal route!

- A bulk tank of milk is tested with probability  $p_{\text{test}}^{\text{milk}}$
- -Farms with *E. coli* conc. >  $l^{\text{sort}}$  are rejected
- $-C_{\text{pre}}$ : Cost of testing and rejecting bulk tank milk
- Post-harvest cheese sampling:
- A batch of cheese is tested with probability  $p_{\text{test}}^{\text{cheese}}$ -From a single batch  $n_{\text{sample}}$  cheeses are tested for presence of STEC

## **Bi-objective optimization**

We consider the bi-objective optimization problem

 $\min_{x \in \mathbb{X}} f(x)$ 

where,  $f = (f_1, f_2)$ 

• Not necessarily has a unique solution  $x^{\text{opt}} \in \mathbb{X}$ , in presence of conflicting objectives • The solution set  $\mathcal{P}$  consists of Pareto optimal points  $\mathcal{P} = \{ x \in \mathbb{X} : \nexists x' \in \mathbb{X}, f(x') \prec f(x) \}$ 

 $-p_{\text{test}}^{\text{cheese}} \in \{0.1, 0.2, 0.3, 0.4, 0.5\}$ • True Pareto front: estimated using 5000 samples for

each of  $5 \times 5 \times 5 \times 5 = 625$  input points





 $-C_{\text{post}}$ : Cost of testing and rejecting cheese batches The aim is to find the optimal values of the process intervention parameters  $\{p_{\text{test}}^{\text{milk}}, l^{\text{sort}}, p_{\text{test}}^{\text{cheese}}, n_{\text{sample}}\}$ , that minimize the risk of HUS and the costs ( $C_{\text{pre}}$  and  $C_{\text{post}}$ ).

**Quantitative Risk Assessment (QRA)** 

QRA based on model proposed by ? • Farm module + Pre-harvest step STEC conc.  $Y_{\text{milk}}^{\text{STEC}}$  in farm milk is computed  $Y_{\text{milk}}^{\text{STEC}} = Y_{\text{milk}}^{\text{EC}} \cdot (Y_{\text{feces}}^{\text{STEC}} / Y_{\text{feces}}^{\text{EC}})$ 

• Cheese module

Evolution of STEC is modeled with ODEs  $\frac{\mathrm{d}y}{\mathrm{d}t} = \mu^{\max}(t) \cdot y(t) \cdot \left(1 - \frac{y(t)}{u^{\max}}\right)$ 

STEC cells form colonies (clusters) inside cheese

- -No. of colonies (Poisson):  $N^{\text{colony}}$
- -Size of colonies (LogNormal):  $Y^{colony}$
- Consumer module

where  $f' \prec f \implies f'_i \leq f_i, \forall i$ , with at least one of the inequalities being strict



Pareto optimal points  $z_1$  and  $z_2$ 

• In stochastic setting, we assume additive noise: for  $x_i \in \mathbb{X}$ , we observe  $Z_i = f(x_i) + \varepsilon_i, \varepsilon_i \sim \mathcal{N}(0, \Sigma)$ • The problem boils down to estimating  $\mathcal{P}$ 

# PALS

Optimization of the QRA simulator

• It is stochastic and computationally expensive



• With PALS using significantly less  $(100 \times 300)$  evaluations, the user can provide the following insights

- -Most of the dominated (red) points are well classified
- The points corresponding to  $\mathcal{P}$  remain unclassified (blue)

## References

F. Perrin, F. Tenenhaus-Aziza, V. Michel, S. Miszczycha, N. Bel, and M. Sanaa. Quantitative risk assessment of haemolytic and uremic syndrome linked to O157:H7 and non-O157:H7 shiga-toxin producing escherichia coli strains in raw milk soft cheeses. Risk Analysis, 35(1):109–128, 2014.



• Post-harvest module Proportion of rejected batches  $P^{\text{batch}}$  is computed  $P^{\text{batch}} = P[\Gamma > 0] = 1 - \exp(-K \cdot n_{\text{sample}})$ 

• Gradient based optimization is not feasible

• Thus we reside on Bayesian approaches

Pareto Active Learning for Stochastic simulators proposed by ? and extended by ?.

- It uses Gaussian process regression for approximating the simulator function
- Estimates  $\mathcal{P}$  by classifying each point in  $\mathbb{X}$  as Pareto optimal, Non-Pareto optimal and Unclassified

M. Zuluaga, G. Sergent, A. Krause, and M. Püschel. Active learning for multi-objective optimization. In Proceedings of the 30th International Conference on Machine Learning, pages 462–470. PMLR, 2013. B. Barracosa, J. Bect, H. Dutrieux Baraffe, J. Morin, J. Fournel, and E. Vazquez. Extension of the Pareto Active Learning method to multi-objective optimization for stochastic simulators. In SIAM Conference on Computational Science and Engineering (*CSE21*), Mar 2021.

This work is part of the ArtiSaneFood project (grant number : ANR-18-PRIM-0015) which is part of the PRIMA program supported by the European Union.











